

Oh!FX

THE LAB OF EMOTIONS



CO2 PISTOL

**INSTRUCTION MANUAL
MANUAL DE INSTRUCCIONES**

CO2 PISTOL



The CO2 PISTOL is the ideal gun for DJ's and performances on nightclubs, creating plumes of CO2 smoke at 6-8 meters. Enjoy this nice effect and refresh your audience. Manufactured with high quality components and fast couplers system.

TECHNICAL SPECIFICATIONS

REF : PISTOL
SIZE : 28 X 5 X 16 cm.
WEIGHT : 0,95 Kg.
MAX. PRESSURE : 200 BAR / 2900 PSI
POWERED BY: CO2 LIQUID (BETTER WITH DIP TUBE INSIDE CYLINDER)

PARTS

1. Output of the CO2
2. Trigger
3. Fast coupling (male)
4. Handle
5. High pressure hose (not included)



ASSEMBLY AND OPERATION

1. Connect the high pressure hose (5) to the CO2 bottle (with a bottle adaptor with fast coupling, or a bottle adaptor with purger... depending on the CO2 accessories supplied). Remember that in order to get the white smoke effect, you need to use the CO2 in liquid status. That is, the CO2 bottles with a probe or pipe inside
2. Connect the other end of the high pressure hose (fast coupling female) to the fast coupling male (3) of the CO2 PISTOL. Remember to always fix the safety cable on both edges of the high pressure hose, to the CO2 bottle and to the CO2 PISTOL.
3. Open the CO2 bottle and, without activating the CO2 PISTOL, make sure there is no leak. Make sure that the high pressure hose is long enough to be able to shoot comfortably. Remember to secure the bottle with tensioners to prevent a possible fall of the bottle.
4. Hold the machine firmly with one hand on the handle (4).
5. To shoot the CO2 PISTOL, pull firmly the trigger (2) for some seconds. It is recommended to keep the trigger pull for no more than about 10 seconds.

REMARKS

- Remember that in order to have the white smoke effect, you must use liquid CO₂, that is the CO₂ bottles with a probe or pipe inside.
- To obtain a nice effect of white cryogenic smoke, it is necessary that there is a minimum humidity of 40% in the air. Otherwise the white smoke doesn't appears visible

DISASSEMBLY

- For disassembly, the hose must be without pressure. For this purpose, close the CO₂ gas bottle and turn On the CO₂ PISTOL to release all the gas inside before you disconnect the hose.

GENERAL CAUTION FOR CO₂ PISTOL

- The CO₂ PISTOL has been designed for the effect described. Any other use, different from the written excludes Oh!FX (CONFETTISHOTS SLU) of liability and warranty.
- Use always the CO₂ PISTOL in open spaces or indoors with good ventilation. Never use it in enclosed spaces without ventilation because the concentration of CO₂ can cause suffocation. If you have doubts about the features of the enclosure use a meter to measure CO₂ concentration.
- Always use hoses and connections of the high pressure provided by the distributor and duly certified.
- During and after the shot you can freeze the nozzle (CO₂ output). Do not touch that part, as it can cause burns.
- Do not point or fire directly at anyone at less than 4 meters away.
- In case of a leak or malfunction, do not attempt to disassemble the machine and contact the distributor or manufacturer. Any manipulation may exclude the warranty
- Do not wet the machine. To clean it, use a damp cloth and dry it immediately.
- Only one adult and qualified person must manipulate the machine.

CO2 PISTOL



La CO2 PISTOL es la pistola de CO2 ideal para Dj's y discotecas. Crea una nube criogénica de hasta 6 metros. Fabricada con componentes de alta calidad y con sistema de conexión rápida.

ESPECIFICACIONES TÉCNICAS

REF : PISTOL
DIMENSIONES : 28 X 5 X 16 cm.
PESO : 0,95 Kg.
PRESIÓN MÁX. : 200 BAR / 2900 PSI
ALIMENTACIÓN : CO2 LÍQUIDO (MEJOR CON Sonda)

PARTES

1. Salida CO2
2. Gatillo
3. Toma rápida CO2
4. Empuñadura
5. Manguera de alta presión (no incluida)



MONTAJE Y OPERATIVA

1. Conecte la manguera de alta presión (5) a la botella de CO2 con sonda (con acople rápido, roscado, con purgador... dependiendo de los accesorios de CO2 suministrados).
2. Conecte el otro extremo de la manguera (toma rápida hembra) a la toma rápida CO2 (3) de la CO2 PISTOL. Recuerde fijar siempre el cable de seguridad de los dos extremos de la manguera, a la botella y a la CO2 PISTOL.
3. Abra la botella de CO2 y, sin accionar la CO2 PISTOL, compruebe que no hay ninguna fuga. Asegúrese que la manguera de alta presión es suficientemente larga para poder disparar con comodidad. Recuerde asegurar la botella con tensores para evitar posibles caídas.
4. Sujete firmemente la máquina con una mano, por la empuñadura. La misma mano será la que accionará el gatillo.
5. Para disparar accione el gatillo (2) durante unos segundos (máximo 12 segundos).

OBSERVACIONES

- Recuerde que para este efecto debe usar botellas de CO2 líquido con sonda.
- Para conseguir el efecto de humo criogénico es necesario que haya una humedad ambiental mínima del 40%.

DESMONTAJE

- Para el desmontaje, la manguera debe estar sin presión. Cierre la botella de CO2 y accione el gatillo de la CO2 PISTOL hasta que deje de salir CO2 antes de desmontar.

PRECAUCIÓN

- La máquina CO2 PISTOL ha sido diseñada para el efecto descrito. Cualquier otro uso excluirá a Oh!FX (CONFETTISHOTS SLU) de toda responsabilidad y garantía.
- Utilice la CO2 PISTOL siempre en espacios abiertos o en interiores con una buena ventilación. Nunca la utilice en espacios cerrados ya que la concentración de CO2 puede causar asfixia. Si tiene dudas de las características del recinto utilice un medidor de concentración de CO2.
- Utilice siempre mangueras y conexiones de alta presión proporcionadas por el distribuidor. Solo una persona adulta y cualificada debe manipular la máquina.
- Durante y después del disparo se puede congelar la salida de CO2 (1). No toque esa parte, puede provocar quemaduras.
- No dispare directamente contra nadie a menos de 4 metros de distancia.
- Si detecta alguna fuga o un mal funcionamiento deje de utilizar la CO2 PISTOL, desconéctela de la botella de CO2 y contacte con su distribuidor. Cualquier manipulación invalidará la garantía.
- Utilice sólo los consumibles previstos para este uso y debidamente certificados.



www.ohfx.eu

